

MANIPULATOR

Type:
"DR 1500S"



Hamborgvej 7
7730 Hanstholm
Denmark

Tel. +45 97 96 19 33
Fax +45 97 96 24 24

teksam@teksam.com
www.teksam.com



 *Precast Production Systems to fit your needs!*

Teksam Manipulator "DR 1500S"

The function of the "DR 1500S" is automatic mold handling and demolding of dry casted concrete products.

These functions are today traditionally accomplished by an operator using an overhead crane. As such, product quality, as well as output is highly dependable on operator skills.

The "DR 1500S" is particularly well suited for operating with automated production stations:

Teksam 1000/1000F or Teksam 1250/1200F

The "DR 1500S" is suitable for production with flip molds as well as with strip molds. When strip molds are utilized, "DR 1500S" automatically picks up curing pallets and lock them to the outer mold.

The "DR 1500S" is hydraulic activated and includes PLC control, either as an integrated part of a complete production station or as a separate control system when a "DR 1500S" is supplied as an addition to an existing production station.



Specifications for "DR 1500S"

- ◆ Max handling weight - product + mold: **2000 kg (4400lbs)**
- ◆ Max outside mold dimension: **1500 mm (60")**
- ◆ Max product height: **1000 mm (40")**

Typical products for "DR 1500S":

"DR 1500S" is rated for the production of concrete products like:

Adjusting rings - Lids - Access Risers - Manhole Risers -
Covers - Catch Basins - Curb Stones, etc.



Grade Rings.



Catch Basins.



Manhole Risers.



Cover Frames.

Benefits:

- ◆ Eliminates the need for a crane for mold handling and demolding
- ◆ Increases output
- ◆ Reduces required sealing height of the building
- ◆ Ease the work for the operator
- ◆ Improves quality of concrete products



More than 35 years of experience

Teksam designs and builds high-performance equipment for the dry-cast concrete industry. Founded in Denmark 1979 we have supplied equipment for the concrete industry for more than 35 years. Our innovative systems and commitment to customer service have made us the first choice for companies globally.

For more information please visit www.teksam.com

Or find us online on  



Hamborgvej 7
7730 Hanstholm
Denmark

Tel. +45 97 96 19 33
Fax +45 97 96 24 24

teksam@teksam.com
www.teksam.com

